



WIPESPLUS® TECHNICAL DATA

EFFICACY DATA FOR WIPESPLUS® DISINFECTING WIPES EPA REG. NO. 6836-340

PRODUCT DESCRIPTION

Disinfecting formula used to kill 99.9% of bacteria on surfaces when used as directed. Our disposable, bleach-free and highly absorbent wipes are safe to use on plastics, laminates, metals, stainless steel and glass surfaces.

Note: Do not use as a baby wipe.

CHEMICAL COMPOSITION: Virucidal*, Bactericidal, Fungicidal

ACTIVE INGREDIENTS:

Octyl decyl dimethyl ammonium chloride.....	0.0909%
Dioctyl dimethyl ammonium chloride.....	0.0364%
Didecyl dimethyl ammonium chloride.....	0.0545%
Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	0.1212%
Other Ingredients:.....	99.6970%
Total.....	100.0000% ¹

USE IN:

Hospitals/Military Bases/Day Care Centers/ Nursing Homes/Schools/Universities Commercial Buildings
Food Service Area /Fitness Centers/Hotels & Resorts/Grocery Stores

FEATURES AND BENEFITS:

- More effective and efficient than sprays and towels.
- Bleach free and highly absorbent for an optimal clean.
- Independently lab certified to quickly disinfect.
- Kills Flu virus, Staph (MRSA), E. Coli, HIV-1 and 2019 Novel CoronaVirus*.
- Full spectrum EPA registered disinfectant.

CONTACT TIME:

Use a 4 minute contact time for disinfection against all virus, bacteria and fungi claimed.

Use a 15 second contact time for sanitization against Staphylococcus aureus (Staph) (ATCC 6538), Klebsiella pneumoniae (ATCC 4352), and Campylobacter jejuni (ATCC 29428).

EFFECTIVE AGAINST:

Bacteria:

- | | |
|---|---|
| <ul style="list-style-type: none"> • Pseudomonas aeruginosa • Salmonella enterica • Staphylococcus aureus • Acinetobacter baumannii • Burkholderia cepacia • Campylobacter jejuni • Corynebacterium ammoniagenes • Enterobacter aerogenes • Enterococcus faecalis • Enterococcus faecalis - Vancomycin Resistant • Escherichia coli (E. coli) • Escherichia coli O157:H7 • ESBL Escherichia coli • Klebsiella pneumoniae • Klebsiella pneumoniae (NDM-1) • Legionella pneumophila | <ul style="list-style-type: none"> • Listeria monocytogenes • Salmonella schottmuelleri • Salmonella typhi • Serratia marcescens • Shigella dysenteriae • Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (NRS384) (USA300) • Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (NRS123) (USA400) • Staphylococcus aureus - Methicillin-Resistant (MRSA) • Staphylococcus aureus - Multi-Drug Resistant • Staphylococcus aureus - Vancomycin Intermediate Resistant - (VISA) • Streptococcus pyogenes (Strep) • Vibrio cholerae |
|---|---|

Viruses

- *Hepatitis B Virus (HBV)
- *Hepatitis C Virus (HCV)
- *Herpes Simplex Virus Type 1
- *Herpes Simplex Virus Type 2
- *HIV-1 (AIDS Virus)
- *Human Coronavirus
- *Influenza Type A Virus / Brazil
- *Influenza A Virus H1N1
- *2013 Influenza A Virus (H7N9)
- *Norwalk Virus (Norovirus)
- *Respiratory Syncytial Virus (RSV)
- *Rotavirus
- *SARS Associated Coronavirus
- *SARS-Related Coronavirus 2
(SARS-CoV-2) (cause of COVID-19)
- *Vaccinia Virus

Animal Viruses

- Avian Influenza Virus H3N2
- Avian Influenza Virus H5N1
- Canine Distemper Virus
- Feline Calicivirus
- Newcastle’s Disease Virus
- Pseudorabies Virus

QUANTITY:

Item No. 37301 800ct	4 per case	8”x 6”
Item No. 33900 240ct	12 per case	6”x 6.75”
Item No. 33711 75ct	6 per case	7”x 8”
Item No. 37701 80ct	12 per case	7”x 8”

SAFETY (See product for full safety precautions):

Caution: Harmful if swallowed. Harmful if inhaled.
Avoid breathing vapors.